
Meridian 1

QPC723, RS-232 Interface Line Card

Description, installation, and operation

Document Number: 553-2731-106

Document Release: Standard 4.0

Date: December 1994

© 1987, 1994

All rights reserved

Printed in the United States of America

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant. This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC rules.

SL-1 and Meridian 1 are trademarks of Northern Telecom.

Revision history

June 10, 1987

Standard, release 1.0.

August 10, 1990

Standard, release 2.0. Revised for Northern Telecom standard 164.0.

December 31, 1992

Standard, release 3.0. This document was reissued to include technical content updates.

December 1994

Standard, release 4.0. Reissued to include editorial changes and indexing. Due to the extent of the changes, revision bars are not used.

Contents

Introduction	1
Purpose	2
Features	4
Call origination	4
Related documents	5
Description	7
Controls and indicators	9
Switch definitions	11
Specifications	13
Data characteristics	13
Parameter exchange	14
Data equipment interface	15
Signals supported	16
Operating distance	17
Product compatibility	18
Environment	18
Reliability	18
Self-diagnostics	18
EIA control lead characteristics	19
EIA leads protection	19

Installation	21
Cabling scheme	22
Connecting to the MDF	28
Operating modes	49
Selecting connectivity modes	51
Modes 0, 1, 2, and 3	63
Mode 0	64
Mode 1	69
Mode 2	70
Mode 3	70
Modes 4, 5, 6, and 7	71
Mode 4	72
Mode 5	75
Mode 6	75
Mode 7	76
Modes 8, 9, 10, and 11	76
Mode 8	78
Mode 9	79
Mode 10	79
Mode 11	80
Modes 12, 13, 14, and 15	80
Mode 12	81
Mode 13	82
Mode 14	82
Mode 15	83
Baud rates	84
Testing procedure	84
Operation	91
Call disconnect	91
Keyboard dialing (KBD)	92
Database requirements	93
Keyboard menu	94

List of figures

Figure 1	
RILC connection diagram	3
Figure 2	
RILC block diagram	8
Figure 3	
RILC faceplate layout	10
Figure 4	
Four cabling options to data equipment	22
Figure 5	
Cabling with RJ-11 using four wires (for terminals)	23
Figure 6	
Patch panel layout	24
Figure 7	
Cabling with patch panel	25
Figure 8	
Male to female octopus cable	26
Figure 9	
Layout of shelf slots and shelf connectors	29
Figure 10	
NT8D13 I/O panel connectors	44
Figure 11	
Mode and speed switches	62
Figure 12	
RILC to modem connectivity	63

Figure 13	
RILC using inbound and outbound modem pools	68
Figure 14	
RILC to gateway connectivity	71
Figure 15	
Gateway access for station hunting	74
Figure 16	
RILC host connectivity	77
Figure 17	
Terminal connectivity	81
Figure 18	
Breakout box—blinking sequence during wire testing	87
Figure 19	
RILC faceplate—blinking sequence during wire testing	88
Figure 20	
Breakout box—blinking sequence during 4-wire RJ-11 testing	90

List of tables

Table 1	
RS-232-C signals as applicable to asynchronous transmission	15
Table 2	
Typical pinouts for octopus cable and patch panel	27
Table 3	
Typical backplane pin assignments for MDF connections for Cable A	30
Table 4	
Typical backplane pin assignments for MDF connections for Cable B	32
Table 5	
Typical backplane pin assignments for MDF connections for Cable C	34
Table 6	
Typical backplane pin assignments for MDF connections for Cable D	36
Table 7	
Typical backplane pin assignments for MDF connections for Cable E	38
Table 8	
Typical backplane pin assignments for MDF connections for Cable F	40
Table 9	
Typical backplane pin assignments for MDF connections for Cable G	42

Table 10	
RILC pair-terminations for the NT8D13 PE module I/O panel	45
Table 11	
RILC pair-terminations for the NT8D13 PE module I/O panel connectors A, C, E, and G (dual loop mode)	47
Table 12	
Mode of operation selection table mode—select switches	49
Table 13	
Connectivity modes—connect and disconnect protocol	51
Table 14	
Typical messages and prompts	95

::Illustrations:illustration files:5400-5499:553-5425.eps	3
::Illustrations:illustration files:4300-4399:553-4396.eps	8
::Illustrations:illustration files:6000-6099:553-6074.eps	10
::Illustrations:illustration files:4300-4399:553-4397.eps	22
::Illustrations:illustration files:4300-4399:553-4398.eps	23
::Illustrations:illustration files:4400-4499:553-4400.eps	24
::Illustrations:illustration files:4400-4499:553-4401.eps	25
::Illustrations:illustration files:4300-4399:553-4382	26
::Illustrations:illustration files:4300-4399:553-4381.eps	29
::Illustrations:illustration files:5400-5499:553-5426.eps	44
::Illustrations:illustration files:4300-4399:553-4399.eps	62
::Illustrations:illustration files:6000-6099:553-6073.eps	63
::Illustrations:illustration files:4300-4399:553-4345.eps	68
::Illustrations:illustration files:4300-4399:553-4343.eps	71
::Illustrations:illustration files:4300-4399:553-4344.eps	74
::Illustrations:illustration files:4300-4399:553-4342.eps	77
::Illustrations:illustration files:4300-4399:553-4342.eps	81
::Illustrations:illustration files:4300-4399:553-4353.eps	87
::Illustrations:illustration files:4300-4399:553-4352.eps	88
::Illustrations:illustration files:5400-5499:553-5427.eps	90